



REPORT No.: SZ26060274R01

TEST REPORT

Applicant : Orbbec Inc.

Product Name : Gemini 338Lg, Gemini 332Lg

Model Name : G40055-250, G45055-250

Brand Name : ORBBEC

Test Request : With reference to RoHS Directive (EU) 2015/863 amending 2011/65/EU

Receipt Date : 2026-06-15

Test Date : 2026-06-15 to 2026-06-26

Issue Date : 2026-06-29

Conclusion : Based on the performed tests on submitted sample(s), the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP), Dibutyl phthalate (DBP), Butyl benzyl Phthalate (BBP), Diisobutyl phthalate (DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Edited by

: Tao Qing
Tao Qing (Rapporteur)

Approved by

: Kenny Li
Kenny Li (Supervisor)

NOTE: This document is issued by Shenzhen Morlab Communications Technology Co., Ltd., the Verification report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen, Guangdong Province, P. R. China

Tel: 86-755-36698555
Http://www.morlab.cn

Fax: 86-755-36698525
E-mail: service@morlab.cn





REPORT No.: SZ26060274R01

1.Applicant Information

Applicant : Orbbec Inc.

Applicant Address : Orbbec Technology Building, No.88 High-tech North 1st Road, Nanshan District, Shenzhen, China

Manufacturer : Orbbec Inc.

Manufacturer Address : Orbbec Technology Building, No.88 High-tech North 1st Road, Nanshan District, Shenzhen, China

2. Test Methods

- (1) There are the results on total Br while test items on restricted substances are PBBs and PBDEs. There are the results on total Cr while test items on restricted substances Cr(VI).
- (2) Results are obtained by EDXRF for primary screening, and further chemical testing by ICP-OES (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) is recommended to be performed, if the concentration exceeds the below warning value according to IEC62321-3-1:2013 (unit: mg/kg).

Element	Polymers	Metals	Composite Materials
Cd	$P \leq (70-3\sigma) < D < (130+3\sigma) \leq F$	$P \leq (70-3\sigma) < D < (130+3\sigma) \leq F$	$P \leq (50-3\sigma) < D < (150+3\sigma) \leq F$
Pb	$P \leq (700-3\sigma) < D < (1300+3\sigma) \leq F$	$P \leq (700-3\sigma) < D < (1300+3\sigma) \leq F$	$P \leq (500-3\sigma) < D < (1500+3\sigma) \leq F$
Hg	$P \leq (700-3\sigma) < D < (1300+3\sigma) \leq F$	$P \leq (700-3\sigma) < D < (1300+3\sigma) \leq F$	$P \leq (500-3\sigma) < D < (1500+3\sigma) \leq F$
Br	$P \leq (300-3\sigma) < D$	Not Applicable	$P \leq (250-3\sigma) < D$
Cr	$P \leq (700-3\sigma) < D$	$P \leq (700-3\sigma) < D$	$P \leq (500-3\sigma) < D$

- (a) P = Below Limit, F = Over Limit, D = Inconclusive.
- (b) The EDXRF screening test for RoHS elements - The reading may be different to actual content in the sample be of non-uniformity composition.

(3) Chemical Test

Unit and MDL in wet chemical test.

Test Items	Methods	Apparatus	MDL
Hg	IEC 62321-4:2013+AMD1:2017	ICP-OES	10 mg/kg
Cd & Pb	IEC 62321-5:2013	AAS or ICP-OES	10 mg/kg
Cr(VI)	IEC 62321-7-2:2017 (For Polymer and Electronics)	UV-VIS	10 mg/kg
	IEC 62321-7-1:2015 [▲] (For Plating on Metals)		0.10 ug/cm ²
PBBs	IEC 62321-6:2015	GC-MS	100 mg/kg
PBDEs	IEC 62321-6:2015	GC-MS	100 mg/kg
DEHP	IEC 62321-8:2017	GC-MS	100 mg/kg
BBP	IEC 62321-8:2017	GC-MS	100 mg/kg
DBP	IEC 62321-8:2017	GC-MS	100 mg/kg
DIBP	IEC 62321-8:2017	GC-MS	100 mg/kg

- (a) The MDL for single compound of PBBs and PBDEs is 100 mg/kg.
- (b) MDL of Cr(VI) for polymer and composite sample is 10 mg/kg.
- (c) MDL of Cr(VI) for metal sample is 0.10 ug/cm².
- (d) 1 mg/kg = 0.0001%, MDL = Method Detection Limit, ND = Not Detected (< MDL), “---” = Not Applicable.
- (e)[▲] = a. The sample is negative for Cr(VI) if the Cr(VI) is ND (concentration less than 0.10 ug/cm²). The coating is considered a non- Cr(VI) based coating.
b. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 ug/cm². The sample coating is considered to contain Cr(VI).
c. The result between 0.10 ug/cm² and 0.13 ug/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- (4) Restricted substances and maximum concentration values tolerated by weight in homogeneous materials under RoHS Directive: Cd: 0.01%, Pb/Hg/Cr(VI)/PBBs/PBDEs/DEHP/DBP/BBP/DIBP: 0.1%. The limit is quoted from RoHS Directive (EU) 2015/863.



3. Test Part Description

Part No.	Sample No.	Sample Description	Sample Material
A	A-1	Black Six Angle Screw	Metal
A	A-2	Silvery Metal Screw	Metal
A	A-3	Black Glass Screen	Composite
A	A-4	Black Plastic Cover	Polymer
A	A-5	Black Plastic Baffle	Polymer
A	A-6	Black Metal Shell	Metal
A	A-7	Black Metal Screw	Metal
A	A-8	Black Metal Screw	Metal
A	A-9	Black Metal Screw	Metal
A	A-10	Silvery Metal Spring	Metal
A	A-11	Silvery Metal Screw	Metal
A	A-12	Silvery Metal Screw	Metal
A	A-13	Black Plastic Button	Polymer
A	A-14	Black Cushion	Polymer
A	A-15	Silvery Metal Cover	Metal
A	A-16	Silver Gray Metal Cover	Metal
A	A-17	Black Soft Rubberizing	Polymer
A	A-18	Black Stick Adhesive	Composite
A	A-19	Silver Grey Foam	Polymer
A	A-20	Pink Heat Dissipating Silicone	Polymer
A	A-21	Black FPC	Composite
A	A-22	Silvery Metal Sheet	Metal
A	A-23	Black Soft Plastic Pad	Polymer
A	A-24	Silver Gray Metal Shell	Metal
A	A-25	Light Components	Composite
A	A-26	Black FPC	Composite
A	A-27	Silvery Metal Sheet	Metal
A	A-28	Interface Green Plastic	Polymer
A	A-29	Interface Silvery Metal	Metal
A	A-30	Interface Red Soft Plastic Ring	Polymer
A	A-31	Interface Silvery Metal Nut	Metal
A	A-32	Interface Silvery Metal Gasket	Metal
A	A-33	RF Cable Black Heat Shrinkable Casing	Polymer
A	A-34	RF Cable Silvery Metal Head	Metal
A	A-35	RF Cable Black Plastic Wire Jacket	Polymer
A	A-36	RF Cable RF Cable Silvery Metal Wire	Metal



REPORT No.: SZ26060274R01

Part No.	Sample No.	Sample Description	Sample Material
A	A-37	RF Cable Transparent Plastic Tube	Polymer
A	A-38	RF Cable Bright Silver Wire	Metal
A	A-39	Camera Black Plastic	Polymer
A	A-40	Camera Black Paper Gasket	Composite
A	A-41	Camera Transparent Plastic Sheet	Polymer
A	A-42	Camera Optical Glass	Composite
A	A-43	Camera Black Glass	Composite
A	A-44	Camera Black FPC	Composite
A	A-45	Camera Silvery Metal Sheet	Metal
A	A-46	Camera Black Plastic	Polymer
A	A-47	Camera Colour Plastic	Polymer
A	A-48	Camera Brown FPC	Composite
A	A-49	Camera Copper-Colored Metal	Metal
A	A-50	Flick Switch Silvery Metal	Metal
A	A-51	Flick Switch Creamy White Plastic	Polymer
A	A-52	Flick Switch Black Plastic	Polymer
A	A-53	Flick Switch Silvery Metal Pin	Metal
A	A-54	Flat Cable Interface Creamy White Plastic	Polymer
A	A-55	Flat Cable Interface Silvery Metal Pin	Metal
A	A-56	Type-C Interface Silvery Metal Case	Metal
A	A-57	Type-C Interface Black Plastic	Polymer
A	A-58	Type-C Interface Silvery Metal Insert	Metal
A	A-59	Type-C Interface Silvery Metal Pin	Metal
A	A-60	Black IC	Composite
A	A-61	Black IC	Composite
A	A-62	Black IC	Composite
A	A-63	Black IC	Composite
A	A-64	Black IC	Composite
A	A-65	Black IC	Composite
A	A-66	Black IC	Composite
A	A-67	Black IC	Composite
A	A-68	Black IC	Composite
A	A-69	Black IC	Composite
A	A-70	Black IC	Composite
A	A-71	Black IC	Composite
A	A-72	Black IC	Composite
A	A-73	Black IC	Composite



REPORT No.: SZ26060274R01

Part No.	Sample No.	Sample Description	Sample Material
A	A-74	Black IC	Composite
A	A-75	Black IC	Composite
A	A-76	Chip Crystal Oscillator	Composite
A	A-77	Black Ceramic Inductor	Composite
A	A-78	Black Ceramic Inductor	Composite
A	A-79	Grey Ceramic Inductor	Composite
A	A-80	Grey Ceramic Inductor	Composite
A	A-81	Brown Ceramic Inductor	Composite
A	A-82	Black Diode	Composite
A	A-83	Black Diode	Composite
A	A-84	Black Diode	Composite
A	A-85	Black Triode	Composite
A	A-86	Chip Capacitor	Composite
A	A-87	Chip Capacitor	Composite
A	A-88	Chip Capacitor	Composite
A	A-89	Chip Resistor	Composite
A	A-90	Chip Resistor	Composite
A	A-91	Chip Resistor	Composite
A	A-92	Tin Solder	Metal
A	A-93	Blue PCB	Composite
B	B-1	Plug Green Plastic	Polymer
B	B-2	Plug White Plastic Buckle	Polymer
B	B-3	Plug Silvery Metal	Metal
B	B-4	Plug Orange Soft Plastic Ring	Polymer
B	B-5	Plug Black Plastic	Polymer
B	B-6	Black Plastic Wire Jacket	Polymer
B	B-7	Silvery Metal Wire	Metal
B	B-8	Silver Paper	Composite
B	B-9	White Plastic Sleeve	Polymer
B	B-10	Copper-Colored Metal Core	Metal
C	C-1	Black Hexagon Socket Screw	Metal
C	C-2	Black Metal	Metal
C	C-3	Black Metal Cassette	Metal
C	C-4	Black Plastic Knob	Polymer
C	C-5	Silvery Metal Screw	Metal
C	C-6	Silvery Metal Shaft	Metal
C	C-7	Black Soft Plastic Cover	Polymer



REPORT No.: SZ26060274R01

Part No.	Sample No.	Sample Description	Sample Material
C	C-8	Black Plastic Sheet	Polymer
C	C-9	Black Soft Rubberizing	Polymer
C	C-10	Black Plastic Cover	Polymer
C	C-11	Silvery Metal Screw	Metal
C	C-12	Black Plastic Holder	Polymer
C	C-13	Black Metal Screw	Metal
C	C-14	Black Plastic Stents	Polymer
C	C-15	Black Soft Plastic Mat	Polymer
C	C-16	Black Hexagon Socket Screw	Metal
C	C-17	Silvery Metal Spring	Metal

4. Test Results

The results of EDXRF screening and chemical test (Unit: mg/kg)

Sample No.	Cd	Pb	Hg	Cr(VI) [▲]	PBBs	PBDEs	DBP	BBP	DEHP	DIBP	Conclusion
A-1	P	P	P	ND	---	---	---	---	---	---	PASS
A-2	P	P	P	P	---	---	---	---	---	---	PASS
A-3	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-4	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-5	P	P	P	P	ND	ND	ND	ND	ND	ND	PASS
A-6	P	315	P	P	---	---	---	---	---	---	PASS
A-7	P	P	P	ND	---	---	---	---	---	---	PASS
A-8	P	P	P	P	---	---	---	---	---	---	PASS
A-9	P	P	P	ND	---	---	---	---	---	---	PASS
A-10	P	P	P	P	---	---	---	---	---	---	PASS
A-11	P	P	P	P	---	---	---	---	---	---	PASS
A-12	P	P	P	P	---	---	---	---	---	---	PASS
A-13	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-14	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-15	P	P	P	P	---	---	---	---	---	---	PASS
A-16	P	282	P	P	---	---	---	---	---	---	PASS
A-17	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-18	P	P	P	P	P	P	ND	ND	ND	ND	PASS



REPORT No.: SZ26060274R01

Sample No.	Cd	Pb	Hg	Cr(VI) [▲]	PBBs	PBDEs	DBP	BBP	DEHP	DIBP	Conclusion
A-19	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-20	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-21	P	P	P	ND	P	P	ND	ND	ND	ND	PASS
A-22	P	P	P	ND	---	---	---	---	---	---	PASS
A-23	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-24	P	328	P	P	---	---	---	---	---	---	PASS
A-25	P	P	P	ND	P	P	ND	ND	ND	ND	PASS
A-26	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-27	P	P	P	ND	---	---	---	---	---	---	PASS
A-28	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-29	P	19453 [#]	P	P	---	---	---	---	---	---	PASS
A-30	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-31	P	20054 [#]	P	ND	---	---	---	---	---	---	PASS
A-32	P	P	P	P	---	---	---	---	---	---	PASS
A-33	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-34	P	P	P	ND	---	---	---	---	---	---	PASS
A-35	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-36	P	P	P	ND	---	---	---	---	---	---	PASS
A-37	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-38	P	P	P	P	---	---	---	---	---	---	PASS
A-39	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-40	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-41	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-42	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-43	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-44	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-45	P	P	P	ND	---	---	---	---	---	---	PASS
A-46	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-47	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-48	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-49	P	P	P	P	---	---	---	---	---	---	PASS



REPORT No.: SZ26060274R01

Sample No.	Cd	Pb	Hg	Cr(VI) [▲]	PBBs	PBDEs	DBP	BBP	DEHP	DIBP	Conclusion
A-50	P	P	P	P	---	---	---	---	---	---	PASS
A-51	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-52	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-53	P	P	P	P	---	---	---	---	---	---	PASS
A-54	P	P	P	P	ND	ND	ND	ND	ND	ND	PASS
A-55	P	P	P	P	---	---	---	---	---	---	PASS
A-56	P	P	P	ND	---	---	---	---	---	---	PASS
A-57	P	P	P	ND	P	P	ND	ND	ND	ND	PASS
A-58	P	P	P	ND	---	---	---	---	---	---	PASS
A-59	P	P	P	P	---	---	---	---	---	---	PASS
A-60	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-61	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-62	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-63	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-64	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-65	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-66	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-67	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-68	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-69	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-70	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-71	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-72	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-73	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-74	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-75	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-76	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-77	P	P	P	ND	P	P	ND	ND	ND	ND	PASS
A-78	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-79	P	P	P	ND	P	P	ND	ND	ND	ND	PASS
A-80	P	P	P	P	P	P	ND	ND	ND	ND	PASS



REPORT No.: SZ26060274R01

Sample No.	Cd	Pb	Hg	Cr(VI) [▲]	PBBs	PBDEs	DBP	BBP	DEHP	DIBP	Conclusion
A-81	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-82	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-83	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-84	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-85	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-86	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-87	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-88	P	P	P	P	P	P	ND	ND	ND	ND	PASS
A-89	P	P	P	ND	P	P	ND	ND	ND	ND	PASS
A-90	P	P	P	ND	P	P	ND	ND	ND	ND	PASS
A-91	P	P	P	ND	P	P	ND	ND	ND	ND	PASS
A-92	P	P	P	P	---	---	---	---	---	---	PASS
A-93	P	P	P	P	P	P	ND	ND	ND	ND	PASS
B-1	P	P	P	P	P	P	ND	ND	ND	ND	PASS
B-2	P	P	P	P	ND	ND	ND	ND	ND	ND	PASS
B-3	P	17431 [#]	P	P	---	---	---	---	---	---	PASS
B-4	P	P	P	P	P	P	ND	ND	ND	ND	PASS
B-5	P	P	P	P	ND	ND	ND	ND	ND	ND	PASS
B-6	P	P	P	P	P	P	ND	ND	ND	ND	PASS
B-7	P	P	P	P	---	---	---	---	---	---	PASS
B-8	P	P	P	P	P	P	ND	ND	ND	ND	PASS
B-9	P	P	P	P	P	P	ND	ND	ND	ND	PASS
B-10	P	P	P	ND	---	---	---	---	---	---	PASS
C-1	P	P	P	ND	---	---	---	---	---	---	PASS
C-2	P	P	P	P	---	---	---	---	---	---	PASS
C-3	P	P	P	P	---	---	---	---	---	---	PASS
C-4	P	P	P	P	P	P	ND	ND	ND	ND	PASS
C-5	P	P	P	ND	---	---	---	---	---	---	PASS
C-6	P	P	P	ND	---	---	---	---	---	---	PASS
C-7	P	P	P	P	P	P	ND	ND	ND	ND	PASS
C-8	P	P	P	P	P	P	ND	ND	ND	ND	PASS




REPORT No.: SZ26060274R01


Sample No.	Cd	Pb	Hg	Cr(VI) [▲]	PBBs	PBDEs	DBP	BBP	DEHP	DIBP	Conclusion
C-9	P	P	P	P	P	P	ND	ND	ND	ND	PASS
C-10	P	P	P	P	P	P	ND	ND	ND	ND	PASS
C-11	P	P	P	P	---	---	---	---	---	---	PASS
C-12	P	P	P	P	P	P	ND	ND	ND	ND	PASS
C-13	P	P	P	P	---	---	---	---	---	---	PASS
C-14	P	P	P	P	P	P	ND	ND	ND	ND	PASS
C-15	P	P	P	P	P	P	ND	ND	ND	ND	PASS
C-16	P	P	P	P	---	---	---	---	---	---	PASS
C-17	P	P	P	P	---	---	---	---	---	---	PASS

Remark:

- (1) # = Lead in copper alloy containing up to 4% lead by weight. The item is exempted from the requirements of the item 6(c) in ANNEX III, (Directive 2011/65/EU).

4.Photo of Sample







5. Photo of Test Part




















Annex A General Information

1.1 Identification of the Responsible Testing Laboratory

Laboratory Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Laboratory Address:	FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

1.2 Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

1.3 Test Equipment Utilized

No.	Equipment Name	Serial No.	Type	Manufacturer	Cal.Date	Cal.Due Date
1	X-Ray Fluorescence Spectroscopy(XRF)	100180017-00 406A	EDX-1800B	Skyray	2025.09.02	2026.09.01
2	X-Ray Fluorescence Spectroscopy(XRF)	100180017-01 151A	EDX-1800B	Skyray	2026.05.07	2027.05.06
3	Gas Chromatography-Mass Spectrometer (GC-MS)	CN10617090	6890-5975I	Agilent	2025.01.06	2027.01.05
4	Ultraviolet and visible spectrophotometry (UV-Vis)	723S18011	DP-733S	Delp	2026.05.07	2027.05.06
5	Inductive Coupled Plasma Emission Spectrometer (ICP-OES)	IC72DC160825	ICAP7200	Thermo	2025.01.06	2027.01.05
6	Gas Chromatography-Mass Spectrometer (GC-MS)	C70504400059 SA	QP2010 PLus	SHIMADZU	2025.01.06	2027.01.05
7	Gas Chromatography-Mass Spectrometer (GC-MS)	021745700818 SA	QP2020 NX	SHIMADZU	2025.09.03	2027.09.02
8	Atomic Absorption Spectroscopy (AAS)	1812-011	Z-2000	HITACHI	2025.01.06	2027.01.05



1.4 Change History

Change History		
Version	Date	Reason for change
1.0	2026-06-29	First edition

Note: the latest revision of the report supersedes all previous version.

Notes

1. The report shall have report stamp or our company stamp.
2. The report shall be invalid without all the signatures of the editor and approver.
3. The report shall not be changed.
4. Any objections must be raised to Morlab within 15 days since the date when the report is received. It will not be taken into consideration beyond this limit.
5. Conformity declaration:
☒ Morlab issues a statement of conformity based on the corresponding standards (default)
☐ Morlab issues a statement of conformity based on the applicant requirement
6. Use of uncertainty of measurement for decisions on conformity (decision rule):
No decision rule is specified by the testing standard, when comparing the measurement result with the applicable limit according to the specification in that standard. The decisions on conformity are made without applying the measurement uncertainty ("simple acceptance" decision rule).

***** END OF REPORT *****